ISOLATION AND CHARACTERIZATION OF BACTERIOPHAGE FOR *Pseudomonas aeruginosa*

An Undergraduate Research Presented to The faculty of the Biological Sciences Department College of Science De La Salle University – Dasmariñas

> In Partial Fulfillment of requirements for the Degree Bachelor of Science in Biology Major in Human Biology

PAOLO EUGENIO B. CASTILLO

March 2009

TABLE OF CONTENTS

Title Page	i
Approval Sheet	ii
Table of Contents	iii
Abstract	v
Acknowledgement	vi
1.0 Introduction	1
1.1 Background of the Study	1
1.2 Conceptual Framework	3
1.3 Statement of the Problem	5
1.4 Scope and Delimitation	5
1.5 Significance of the Study	6
1.6 Definition of Terms	6
2.0 Review of Literature	7
2.1 Conceptual Literature	7
2.2 Related Studies	14
3.0 Methodology	17
3.1 Research Design	17
3.2 Research Setting	17
3.3 Research Procedures	17

4.0 Results and Discussion	19
4.1 Results	19
4.2 Discussion	21
5.0 Conclusion and Recommendation	23
5.1 Conclusion	23
5.2 Recommendation	23
Literature Cited	25
Appendices	
A. Isolation of Bacteriophage	29
B. References: Phage Structure	32
C. Electron Micrographs	33
D. Nucelocapsid Orientation Reference	35
E. Photodocumentation	36
F. Miscellaneous	37
G. Curriculum Vitae	38

ABSTRACT

This undergraduate research was conducted to isolate and characterize the bacteriophage for *Pseudomonas aeruginosa*. Wastewater was obtained from the sewage system of De La Salle University Medical Center and was enriched with decastrength phage broth containing an overnight broth culture of *P. aeruginosa*. The broth was membrane filtered after 24 hours and the filtrate was tested on a newly swabbed lawn of *P. aeruginosa*, in which after another 24 hours showed clearing, confirming its plaque-forming properties against the bacteria. The isolates were then sent to the Research Institute of Tropical Medicine for electron micrographs that was used for characterization and morphology. Based on the gathered data, findings revealed that the isolated bacteriophage infecting *Pseudomonas* species in icosahedrons and dodecahedron variants. This study concluded that the isolated bacteriophage was capable of inhibiting the growth of *P. aeruginosa*.