


Delineation of Liquefaction Potential of Selected Borehole Sites Subjected to High and Moderate Susceptibility of Liquefaction in the Province of Cavite

A Thesis Proposal Presented to the Faculty of Civil Engineering
College of Engineering, Architecture and Technology
De La Salle University – Dasmariñas
Dasmariñas City, Cavite



In Partial Fulfillment of Requirements for the Degree
Bachelor of Science in Civil Engineering

Ariola, Aldrich D.
Macalaguim, Paul Emill D.
Veluz, Ralph Khristian A.

November 2014

ABSTRACT

Liquefaction accompanied by strong earthquake is destructive to the built environment. If not studied and prevented, then more lives and properties will be endangered.

The general method applied is by using the unit weight, fines content and SPT blow count of the soil and the depth of water table based on Seed and Idriss' (1982) empirical relation between the standard penetration resistance and the cyclic stress ratio required to cause liquefaction and by using the simplified methods of Luna and Frost (1998) in evaluating liquefaction potential index of saturated soils.

Selected borehole sites subjected to high and moderate susceptibility of liquefaction within Cavite City, Municipality of Kawit, Municipality of Rosario, and the northern part of Bacoor City, which are located along coastlines, are evaluated in this study.

An excel program for analyzing liquefaction potential was developed. The program is capable of identifying whether a certain location is liquefiable or not using its soil properties as variables. The program developed performs all the necessary computations ending with the factor of safety and then evaluated to acquire the liquefaction potential index.

The results attained in this study are not representative as a whole of their respective areas.

TABLE OF CONTENTS

	Page
Approval Sheet	i
Abstract	ii
Acknowledgement	iii
Table of Contents	v
List of Tables	x
List of Figures	xiii
Chapter 1 – The Problem and its Background	
1.1 Introduction	1
1.2 Statement of the Problem	3
1.3 Objectives of the Study	3
1.4 Significance of the Study	4
1.5 Scope and Limitations	5
1.6 Conceptual Framework	5
1.7 Definition of Terms	7
Chapter 2 – Review of Related Literature	
2.1 Earthquake	8
2.2 Soil Liquefaction	8
2.3 Ingredients of Liquefaction	9
2.4 Liquefaction Measurement	10
2.5 Analysis of Soil Liquefaction	11
2.6 Effects of Liquefaction	14

Chapter 3 – Methodology

3.1	Data Gathering	16
3.2	Data Analysis	18
3.3	Delineation of Liquefaction Potential	25
3.4	Data Validation	28
3.4.1.	Thesis	28
3.4.2.	Journals	29
3.4.3.	Liquefaction Susceptibility Map	29
3.4.4.	Earthquakes in Cavite	30

Chapter 4 – Presentation, Analysis, and Interpretation

4.1	Assessment of Parameters	32
4.1.1	Bacoor City	32
4.1.1.1	Proposed 2-Storey with Attic Residential Building	32
4.1.1.2	Proposed 6-Storey Condominium Building	34
4.1.1.3	Multipurpose Gymnasium	37
4.1.1.4	Church – Bacoor	41
4.1.2	Cavite City	45
4.1.2.1	Proposed 3-Storey 6-Classroom School Building	45
4.1.2.2	Proposed 4-Storey 8-Classroom School Building	46
4.1.3	Municipality of Kawit	50
4.1.3.1	Proposed Bridge (Sta. 0 + 668)	50

4.1.3.2	Construction of Kawit Public Market	53
4.1.4	Municipality of Rosario	59
4.1.4.1	Proposed 4-Storey Municipal Building	59
4.1.4.2	Proposed 3-Storey 6-Classroom School Building	62
4.1.4.3	Proposed 5-Storey School Building	65
4.1.4.4	Proposed Construction of Pedestrian Overpass	69
4.2	Liquefaction Analysis	72
4.2.1	Factor of Safety and Liquefaction Potential Index	72
4.2.1.1	Bacoor City	72
4.2.1.1.1	Proposed 2-Storey with Attic Residential Building	72
4.2.1.1.2	Proposed 6-Storey Condominium Building	73
4.2.1.1.3	Multipurpose Gymnasium	75
4.2.1.1.4	Church – Bacoor	76
4.2.1.2	Cavite City	78
4.2.1.2.1	Proposed 3-Storey 6-Cassroom School Building	78

4.2.1.2.2	Proposed 4-Storey 8-Classroom School Building	79
4.2.1.3	Municipality of Kawit	81
4.2.1.3.1	Proposed Bridge (Sta. 0 + 668)	81
4.2.1.3.2	Construction of Kawit Public Market	83
4.2.1.4	Municipality of Rosario	85
4.2.1.4.1	Proposed Proposed 4-Storey Municipal Building	85
4.2.1.4.2	Proposed 3-Storey 6-Classroom School Building	87
4.2.1.4.3	Proposed 5-Storey School Building	88
4.2.1.4.4	Proposed Construction of Pedestrian Overpass	90

Chapter 5 – Summary of Findings, Conclusion and Recommendation

5.1	Summary of Findings	93
5.2	Conclusion	99
5.2.1	Bacoor City	100
5.2.2	Municipality of Kawit	101
5.2.3	Municipality of Rosario	102
5.2.4	Cavite City	103
5.3	Recommendation	104

Bibliography	105
Appendix A Letters	107
Appendix B Sample Borehole Logs	115
Appendix C Documentation	122
Appendix D Certificates	129




LIST OF TABLES

Chapter 2 – Review of Related Literature		Page
2.1	Liquefaction Hazard Based On Combinations of Modified Mercalli Intensity (MMI) and Liquefaction Susceptibility	10
Chapter 3 – Methodology		
3.1	Typical Compacted Densities and Optimum Moisture Contents for USCS Soil Types	24
3.2	Criterion for Evaluation of Liquefaction Potential	26
3.3	History of Earthquakes that Affect Cavite	30
Chapter 4 – Presentation, Analysis, and Interpretation		
4.1	In-situ Soil Index Properties of Proposed 2-Storey with Attic Residential Building Borehole 1	33
4.2	In-situ Soil Index Properties of Proposed 6-Storey Condominium Building Borehole 1	34
4.3	In-situ Soil Index Properties of Proposed 6-Storey Condominium Building Borehole 2	36
4.4	In-situ Soil Index Properties of Multipurpose Gymnasium Borehole 1	38
4.5	In-situ Soil Index Properties of Multipurpose Gymnasium Borehole 2	40
4.6	In-situ Soil Index Properties of Church – Bacoor Borehole 1	42
4.7	In-situ Soil Index Properties of Church – Bacoor Borehole 2	43
4.8	In-situ Soil Index Properties of Proposed 3-Storey 6-Classroom School Building Borehole 1	45

4.9	In-situ Soil Index Properties of Proposed 4-Storey 8-Classroom School Building Borehole 1	47
4.10	In-situ Soil Index Properties of Proposed 4-Storey 8-Classroom School Building Borehole 2	48
4.11	In-situ Soil Index Properties of Proposed Bridge (Sta. 0 + 668) Borehole 1	50
4.12	In-situ Soil Index Properties of Proposed Bridge (Sta. 0 + 668) Borehole 2	52
4.13	In-situ Soil Index Properties of Construction of Kawit Public Market Borehole 1	54
4.14	In-situ Soil Index Properties of Construction of Kawit Public Market Borehole 2	55
4.15	In-situ Soil Index Properties of Construction of Kawit Public Market Borehole 3	57
4.16	In-situ Soil Index Properties of the Proposed 4-Storey Municipal Building Borehole 1	59
4.17	In-situ Soil Index Properties of the Proposed 4-Storey Municipal Building Borehole 2	61
4.18	In-situ Soil Index Properties of Proposed 3-Storey 6-Classroom School Building Borehole 1	62
4.19	In-situ Soil Index Properties of Proposed 3-Storey 6-Classroom School Building Borehole 2	64
4.20	In-situ Soil Index Properties of Proposed 5-Storey School Building Borehole 1	66
4.21	In-situ Soil Index Properties of Proposed 5-Storey School Building Borehole 2	67
4.22	In-situ Soil Index Properties of Proposed Construction of Pedestrian Overpass Borehole 1	69
4.23	In-situ Soil Index Properties of Proposed Construction of Pedestrian Overpass Borehole 2	71

Chapter 5 – Summary of Findings, Conclusion and Recommendation

5.1	Summary of LPI of Selected Borehole Sites in City of Bacoor	93
5.2	Summary of LPI of Selected Borehole Sites in Municipality of Rosario	94
5.3	Summary of LPI of Selected Borehole Sites in Municipality of Kawit	94
5.4	Summary of LPI of Selected Borehole Sites in Cavite City	95
5.5	Summary of Liquefaction Potential of Selected Sites in City of Bacoor	96
5.6	Summary of Liquefaction Potential of Selected Sites in Municipality of Rosario	97
5.7	Summary of Liquefaction Potential of Selected Sites in Municipality of Kawit	97
5.8	Summary of Liquefaction Potential of Selected Sites in Cavite City	98



LIST OF FIGURES

Chapter 1 – The Problem and its Background	Page
1.1 Conceptual Framework of the Study	6
Chapter 3 – Methodology	
3.1 Methodological Framework of the Study	17
3.2 Liquefaction Map of Cavite	18
3.3 Sample Computation Using Microsoft Excel	25
Chapter 4 – Presentation, Analysis, and Interpretation	
4.1 Blow Count and Corrected Blow Count Value versus Depth Proposed 2-Storey with Attic Residential Building Borehole 1	33
4.2 Blow Count and Corrected Blow Count Value versus Depth Proposed 6-Storey Condominium Building Borehole 1	35
4.3 Blow Count and Corrected Blow Count Value versus Depth Proposed 6-Storey Condominium Building Borehole 2	37
4.4 Blow Count and Corrected Blow Count Value versus Depth Multipurpose Gymnasium Borehole 1	38
4.5 Blow Count and Corrected Blow Count Value versus Depth Multipurpose Gymnasium Borehole 2	40
4.6 Blow Count and Corrected Blow Count Value versus Depth Church – Bacoor Borehole 1	42
4.7 Blow Count and Corrected Blow Count Value versus Depth Church – Bacoor Borehole 2	44
4.8 Blow Count and Corrected Blow Count Value versus Depth Proposed 3-Storey 6-Classroom School Building Borehole 1	46
4.9 Blow Count and Corrected Blow Count Value versus Depth	47

	Proposed 4-Storey 8-Classroom School Building Borehole 1	
4.10	Blow Count and Corrected Blow Count Value versus Depth	49
	Proposed 4-Storey 8-Classroom School Building Borehole 2	
4.11	Blow Count and Corrected Blow Count Value versus Depth	51
	Proposed Bridge (Sta. 0 + 668) Borehole 1	
4.12	Blow Count and Corrected Blow Count Value versus Depth	53
	Proposed Bridge (Sta. 0 + 668) Borehole 2	
4.13	Blow Count and Corrected Blow Count Value versus Depth	54
	Construction of Kawit Public Market Borehole 1	
4.14	Blow Count and Corrected Blow Count Value versus Depth	56
	Construction of Kawit Public Market Borehole 2	
4.15	Blow Count and Corrected Blow Count Value versus Depth	58
	Construction of Kawit Public Market Borehole 3	
4.16	Blow Count and Corrected Blow Count Value versus Depth	60
	Proposed 4-Storey Municipal Building Borehole 1	
4.17	Blow Count and Corrected Blow Count Value versus Depth	61
	Proposed 4-Storey Municipal Building Borehole 2	
4.18	Blow Count and Corrected Blow Count Value versus Depth	63
	Proposed 3-Storey 6-Classroom Borehole 1	
4.19	Blow Count and Corrected Blow Count Value versus Depth	65
	Proposed 3-Storey 6-Classroom Cavite, Borehole 2	
4.20	Blow Count and Corrected Blow Count Value versus Depth	66
	Proposed 5-Storey School Building Borehole 1	
4.21	Blow Count and Corrected Blow Count Value versus Depth	68
	Proposed 5-Storey School Building Borehole 2	
4.22	Blow Count and Corrected Blow Count Value versus Depth	70
	Proposed Construction of Pedestrian Overpass Borehole 1	
4.23	Blow Count and Corrected Blow Count Value versus Depth	71
	Proposed Construction of Pedestrian Overpass Borehole 2	
4.24	Factor of Safety and Liquefaction Potential Index	72

	per Layer of Soil Proposed 2-Storey with Attic Residential Building Borehole 1	
4.25	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 6-Storey Condominium Building Borehole 1	73
4.26	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 6-Storey Condominium Building Borehole 2	74
4.27	Factor of Safety and Liquefaction Potential Index per Layer of Soil Multipurpose Gymnasium Borehole 1	75
4.28	Factor of Safety and Liquefaction Potential Index per Layer of Soil Multipurpose Gymnasium Borehole 2	75
4.29	Factor of Safety and Liquefaction Potential Index per Layer of Soil Church – Bacoor Borehole 1	77
4.30	Factor of Safety and Liquefaction Potential Index per Layer of Soil Church – Bacoor Borehole 2	77
4.31	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 3-Storey 6-Classroom School Building Borehole 1	79
4.32	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 4-Storey 8-Classroom School Building Borehole 1	80
4.33	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 4-Storey 8-Classroom School Building Borehole 2	80
4.34	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed Bridge (Sta. 0 + 668) Borehole 1	81
4.35	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed Bridge (Sta. 0 + 668) Borehole 2	82
4.36	Factor of Safety and Liquefaction Potential Index	83

	per Layer of Soil Construction of Kawit Public Market Borehole 1	
4.37	Factor of Safety and Liquefaction Potential Index per Layer of Soil Construction of Kawit Public Market Borehole 2	84
4.38	Factor of Safety and Liquefaction Potential Index per Layer of Soil Construction of Kawit Public Market Borehole 3	84
4.39	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 4-Storey Municipal Building Borehole 1	85
4.40	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 4-Storey Municipal Building Borehole 2	86
4.41	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 3-Storey 6-Classroom School Building Borehole 1	87
4.42	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 3-Storey 6-Classroom School Building Borehole 2	87
4.43	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 5-Storey School Building Borehole 1	88
4.44	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed 5-Storey School Building, Borehole 2	89
4.45	Factor of Safety and Liquefaction Potential Index per Layer of Soil Proposed Construction of Pedestrian Overpass Borehole 1	90
4.46	Factor of Safety and Liquefaction Potential Index	90

per Layer of Soil Proposed Construction of Pedestrian
Overpass Borehole 2

4.47	Locations Borehole Sites on Liquefaction Susceptibility Map of Cavite	92
-------------	---	-----------

Chapter 5 – Summary of Findings, Conclusion and Recommendation

5.1	Liquefaction Potential Index of 4 Selected Sites in Bacoor City	100
5.2	Liquefaction Potential Index of 2 Selected Sites in the Municipality of Kawit	101
5.3	Liquefaction Potential Index of 4 Selected Sites in the Municipality of Rosario	102
5.4	Liquefaction Potential Index of 2 Selected Sites in Cavite City	103

