ELECTRIC LAWNMOWER WITH SOLAR POWER BACKUP

A Project Study Presented to

The Faculty of Engineering

De La Salle University – Dasmariñas

In Partial Fulfillment

Of the requirements for the Degree

Bachelor of Science in Electronics Engineering

CAÑEDO, Francis Millard A.
ESPIRITU, Rigel Kent E.
SALAZAR, Denver P.

March 2010

TABLE OF CONTENTS

| TITLE PAGE | |
|---------------------------------------------------|-------|
| ACKNOWLEDGEMENT | iii |
| TABLE OF CONTENTS | iv |
| LIST OF FIGURES | vi |
| LIST OF TABLES | vii |
| LIST OF APPENDICES | viii |
| ABSTRACT | ix |
| | |
| CHAPTER 1 – THE PROBLEM AND ITS BACKGROUND | |
| Introduction | 1 |
| Background of the Study | 2 |
| Statement of the Problem | 2 |
| Significance of the Study | 3 |
| Theoretical/Conceptual Framework | 4 |
| Scope and Limitations of the Study | 5 |
| Definition of Terms | 5 |
| | |
| CHAPTER 2 – REVIEW OF RELATED LITERATURES AND STU | JDIES |
| Foreign Literature | 6 |
| Local Literature | 8 |
| Foreign Studies | 9 |

| | CHAPTER 3 - | - METHODS | OF RESEARCH | AND PROCEDURE |
|--|-------------|-----------|-------------|---------------|
|--|-------------|-----------|-------------|---------------|

| Research Procedure | 11 | | | |
|---------------------------------------------------------------|----|--|--|--|
| Observation and Problem Interpretation | 11 | | | |
| Material Research and Experimentation | 12 | | | |
| Research Instrument | 12 | | | |
| Design Outline | 14 | | | |
| | | | | |
| CHAPTER 4 - PRESENTATION, ANALYSIS AND INTERPRETATION OF DATA | | | | |
| Project Description | 15 | | | |
| The Hardware | 16 | | | |
| Test and Evaluation | 24 | | | |
| | | | | |
| CHAPTER 5 – SUMMARY, CONCLUSION AND RECOMMENDATION | | | | |
| Summary | 25 | | | |
| Conclusion | 25 | | | |
| Recommendation | 25 | | | |
| REFERENCES | 26 | | | |
| APPENDICES | 27 | | | |
| CURRICULUM VITAE | | | | |

LIST OF FIGURES

| Chapter 1 | |
|--------------------------------------------------------------|---------|
| Figure 1. Research Paradiagram | Page 4 |
| Chapter 3 | |
| Figure 1. Design Outline | Page 14 |
| Chapter 4 | |
| Figure 4.1: Main Controller, Charger, Battery Charge Monitor | |
| and Motor Driver | Page 15 |
| Figure 4.2: Main Controller Board, PCB Layout | Page 16 |
| Figure 4.3: Main Controller Board, Actual Circuit | Page 17 |
| Figure 4.4: Motor Driver, PCB Layout | Page 18 |
| Figure 4.5: Motor Driver, Actual Circuit | Page 18 |
| Figure 4.6: Solar Panel Charger, PCB Layout | Page 19 |
| Figure 4.7: AC Line Charger, PCB Layout | Page 19 |
| Figure 4.8: AC Line and Solar Panel Charger, Actual Circuit | Page 20 |
| Figure 4.9: Battery Charge Monitor, PCB Layout | Page 21 |
| Figure 4.10: Battery Charge Monitor, Actual Circuit | Page 21 |
| Figure 4.11: LCD and Button, PCB Layout | Page 22 |
| Figure 4.12: LCD and Button, Actual Circuit | Page 22 |
| Figure 4.13: Finished Prototype | Page 23 |

LIST OF TABLES

Table 4.1: Test without Solar Panel Page 24

Table 4.2: Test with Solar Panel Page 24



LIST OF APPENDICES

Source Codes

Schematic Diagrams

Cost Analysis

PIC16F877A Data Sheet

LM3914 Data Sheet



ABSTRACT

TITLE: Electric Lawnmower with Solar Power Backup

RESEARCHERS: Cañedo, Francis Millard A.

Espiritu, Rigel Kent E.

Salazar, Denver P.

ADVISER: Engr. Emmanuel Longares

SCHOOL: De La Salle University- Dasmariñas

PAGES: 74

YEAR: 2010

DEGREE: BS Electronics and Communications Engineering

The Electric Lawnmower with Solar Power Backup is a unit that is battery operated. It will be composed of a DC motor, charger, a microcontroller system for the timer of the device, a charge indicator and a LCD display for the timer. It can be charged through the Solar Panel to lengthen the life of the battery when in use. Also, it can be charged through the AC Line when not in use. The timer, which uses microcontroller, is programmed using Mikrobasic. This device is environmentally friendly because it does not produce smoke and it conserves the natural resources because it does not use gasoline which is a non-renewable resource.