

**Study on Increase on Production Output on TheBlowing process
at Global Lighting Philippines, Inc.**

**A Practicum Study Presented to the Faculty of
The College of Engineering Technology
De La Salle University-Dasmariñas
Dasmariñas, Cavite**

**In Partial Fulfillment
of the Requirement for the Degree of
Bachelor of Science in Industrial Technology**

**Submitted by:
TALAY, Mac Wesley**

**Submitted to:
ORLANDO LEJOS**

March 2006

AKLATANG EMILIO AGUIBALDO ARCHONNES

JUN 11 2008

TABLE OF CONTENTS

	Page
Title page.....	
Approval Sheet	i
Acknowledgement.....	ii
Table of Contents	iii
 CHAPTER 1:	
1.1 Background Of the Study	1
1.2 Company Profile	2
1.3 Statement of the Problem	3
1.4 Objectives of the Study	3
1.5 Significance of the Study	4
1.6 Scope and Limitations	5
1.7 Methodology	6
1.8 Definition of Terms	7
 CHAPTER 2:	
2.1 Related Literature.....	8
 CHAPTER 3:	
3.1 Presentation of Gathered Data	14

CHAPTER 4:

4.1 Analysis of Data

Problem tree22

Objective Tree.....23

CHAPTER 5:

5.1 Presentation of Alternative Courses of Action28

5.2 Cost and Benefit Analysis36

CHAPTER 6:


6.1 Presentation of Conclusion and Recommendation37

6.2 Detailed Plan of Action.....38

6.3 Gantt Chart.....39

Appendix

Bibliography



CHAPTER 6

6.1. PRESENTATION OF CONCLUSIONS AND RECOMMENDATION

Conclusion

The data presented gave the researcher reasons to come up with the conclusion that the defective output and down time experienced by the company can be divided in 3 ways which hiring of additional technician, proper monitoring of materials and preventive maintenance. All alternative have positive effects when it comes in meeting the allowable loss output, but the alternative A is the best among the three alternatives.

Recommendation:

Based on the analysis and other observation among the alternatives presented, the first alternative is the best. The company is able to meet the allowable loss output. The company will hire a technician. The cost is not too expensive, the company will gain more profit.