## THE ANGIOGENIC EFFECT OF *Ipomoea batatas L.* (CAMOTE) SHOOT EXTRACT TO THE CHORIOALLANTOIC MEMBRANE (CAM) OF A 10-DAY OLD CHICK EMBRYO

An Undergraduate Thesis Presented to

The Faculty of the Biological Science Department

College of Science

De La Salle University – Damarinas

Dasmarinas, Cavite

In Partial Fullfillment of the Requirements

for the Degree of Bachelor of Science Major in Human Biology

PRINCESS LANISA J. PARAGUYA
GIBBERLENE CHRIS REMEDIO

February 2008

## TABLE OF CONTENTS

| Title Page                                  | 1 |  |
|---|---|--|
| Table of Contents                           |   |  |
| Acknowledgement                             |   |  |
| Abstract                                    | 5 |  |
|   |   |  |
| Chapter 1 INTRODUCTION                      |   |  |
| 1.1 Background of the Study                 |   |  |
| 1.2 Conceptual Framework                    |   |  |
| 1.3 Statement of the Problem                |   |  |
| 1.4 Hypotheses                              |   |  |
| 1.5 Scope and Limitations                   |   |  |
| 1.6 Significance of the Study               |   |  |
| 1.7 Definition of Terms                     |   |  |
|   |   |  |
| Chaper 2 LITERATURE REVIEW                  |   |  |
| 2.1 Conceptual Literature                   |   |  |
| 2.2 Related Studies                         |   |  |
|   |   |  |
| Chapter 3 METHODOLOGY                       |   |  |
| 3.1 Research Design                         |   |  |
| 3.2 Research Setting                        |   |  |
| 3.3 Research Procedure                      |   |  |
| 3.4 Data Gathering and Statistical Analysis |   |  |

| CHAPTER 4         | RESULTS AND DISCUSSION     |              |
|-------------------|----------------------------|--------------|
| 4.1 Results       |                            | 26           |
| 4.2 Discussion    |                            | 27           |
|                   |                            |              |
| CHAPTER 5         | SUMMARY, CONCLUSION AND RE | COMMENDATION |
| 5.1 SUMMARY       |                            | 30           |
| 5.2 CONCLUSION    | N                          | 30           |
| 5.3 RECOMMEN      | DATION                     | 31           |
| Cited References  |                            | 32           |
| Appendices        | IIIO RE                    |              |
| Appendix A – Star | ndard Procedure            |              |
| Appendix B -Time  | e Table                    |              |
| Appendix C - Bud  | getary Table               |              |
| Appendix D – Pho  | oto Documentation          |              |
| Curriculum Vitae  |                            |              |
|                   |                            |              |

## **ABSTRACT**

The study used camote shoot crude extract to test and observe its effect of the chorioallantoic membrane of a 10-day old chick embryo. There were four different concentrations used: water as negative control and the three treatments having the concentrations of 150 ppm, 200ppm and 300ppm. Based on the observation the three treatments having different concentrations had an inhibitory effect on the chorioallantoic membrane of a 10-day old chick embryo. Promotion of blood vessels was inhibited; thus, camote shoot crude extract can be used as inhibitory against cancer.