



An Undergraduate Research Presented to the

Faculty of Biological Sciences Department

College of Science and Computer Studies

De La Salle University-Dasmariñas

Dasmariñas City

In Partial Fulfilment of the Requirements

for the Degree of Bachelor of Science Major in Human Biology

#### **RICHARD B. ADANO**

**DIANE CHARIZ C. BUENDIA** 

March 2013



### 🖈 De La Salle University - Dasmariñas **BIOLOGY PROGRAM**

#### ABSTRACT

The antifungal potential of Lansium domesticum leaf and fruit peel crude extract was tested against Candida albicans and Aspergillus niger. The extractions of Lansium domesticum leaf and fruit peel were performed using ethanolic extraction. Different concentrations were prepared by diluting the extract with sterile distilled water to provide 100%, 75%, 50%, 40%, 25% and 10% concentrations. The antifungal potential of these concentrations were tested against Candida albicans and Aspergillus niger using the Disk Diffusion Method (Kirby-Bauer). Results showed that Lansium domesticum leaf and fruit peel crude extract did not have any antifungal effect on both Candida albicans and Aspergillus niger due to the absence of "clearing" around the disk impregnated with different concentrations. The test isolates used are resistant to the phytochemical components of Lansium domesticum leaf and fruit peel crude extract.

#### TABLE OF CONTENTS

Title Page	1
Approval Sheet	2
Acknowledgement	3
Abstract	4
Table of Contents	5
CHAPTER 1 INTRODUCTION	
1.1 Background of the Study	10
1.2 Conceptual Framework	12
1.3 Statement of the Problem	12
1.4 Hypothesis	13
1.5 Scope and Delimitation	13
1.6 Significance of the Study	14
1.7 Definition of Terms	15
CHAPTER 2 REVIEW OF LITERATURE	
2.1 Review of Literature	16
2.3 Related Studies	22
CHAPTER 3 METHODOLOGY	
3.1 Research Design	26
3.2 Research Settings	26
3.3 Research Procedure	27





### LIST OF TABLES

Table 4 Zone of inhibition formed in millimetre by Lansium domesticumleaf crude exract and positive control (Itraconazole) againstCandida albicans and Aspergillus niger	30
Table 1 Susceptibilities of Candida albicans to antifungal antibiotics	47
Table 2 Zone of inhibition formed in millimetre by Lansium domesticumleaf crude exract and positive control (Itraconazole) againstCandida albicans and Aspergillus niger	48
Table 3 Zone of inhibition formed in millimetre by Lansium domesticum leaf crude exract and positive control (Itraconazole) against Candida albicans and Aspergillus niger	49



### LIST OF PLATES

Plate 1 Zone of Inhibition of <i>Lansium domesticum</i> Leaf crude extract against <i>Candida albicans</i>	50
Plate 2 Zone of Inhibition of <i>Lansium domesticum</i> Leaf crude extract against <i>Aspergillus niger</i>	50
Plate 3 Zone of Inhibition of <i>Lansium domesticum</i> Fruit peel crude extract against <i>Candida albicans</i>	50
Plate 4 Zone of Inhibition of <i>Lansium domesticum</i> Fruit peel crude extract against <i>Aspergillus niger</i>	51
Plate 5 Researchers during laboratory experiment	51



A. Media Preparation	41
B. Pure Culture Preparation	44
C. Antifungal Sensitivity Testing	46
D. Zone of Inhibition of Antifungal Drugs	47
E. Zone of Inhibition of Different Concentrations	48
F. Photo Documentation	50
G. Curriculum Vitae	52