

🖹 De La Salle University - Dasmariñas **BIOLOGY PROGRAM**

EFFECTS OF Delonix regia (CABALLERO) SEEDS AS FEED ADDITIVE

ON THE LIVER OF MALE Gallus gallus domesticus

(BROILER CHICKENS)

A Thesis Presented to the Faculty of the Biological Sciences Department College of Science De La Salle University - Dasmariñas Dasmariñas, Cavite

In Partial Fulfilment of the Requirements for the Degree of Bachelor of Science Major in Human Biology

CAMILLE A. CHIONG MARK WYNNE IVAN POLLESCAS

March 2011

ABSTRACT

This study proved that *Delonix regia* seeds are safe to be used as feed additive on male Broiler chickens for the effects *D.regia* seeds when added to the feeds and subsequent effects on the liver of male Broiler Chickens (Gallus gallus domesticus) was further investigated in this study. Forty five broiler chicks were divided into three groups; the control group received no Delonix regia seeds, and the other groups were treated with crushed Delonix regia seeds with 25% and 50% composition, respectively. After 45 days, the chicken's liver was extracted subjected to histotechniques. The result after the analysis indicates that the control group, 25% Delonix regia seeds and 50% Delonix regia seeds showed no alteration from their morphological state. The difference of the liver tissues between chicken fed with regular feeds and chicken fed with additive showed that there was a significant increase in the cell number between the control group and the treatment group with 50% Delonix regia seeds, and treatment group with treatment group with 25% Delonix regia seeds and treatment group with 50% Delonix regia seeds The results showed that the liver cell size had a significant difference between the control group and the treatment group with 25% Delonix regia seeds that showed an increase in cell size at the treatment group with 25% Delonix regia seeds.

Key words: Delonix regia, Histopathological techniques, morphological state.

TABLE OF CONTENTS

Title Page	1	
Approval Sheet	2	
Acknowledgments	3	
Abstract	4	
Table of Contents	5	
CHAPTER 1 INTRODUCTION		
1.1 Background of the Study	09	
1.2 Conceptual Framework	11	
1.3 Statement of the Problem	11	
1.4 Hypotheses	12	
1.5 Scope and Limitations	12	
1.6 Significance of the Study	13	
1.7 Definition of Terms	14	
CHAPTER 2 LITERATURE REVIEW		
2.1 Conceptual Literature	15	
2.2 Related Studies	20	
CHAPTER 3 METHODOLOGY		
3.1 Research Design	26	
3.2 Research Setting	26	
3.3 Research Procedure	27	

3.4 Data Gathering and Statistical Analysis	30
CHAPTER 4 RESULTS AND DISCUSSION	
4.1 Results	33
4.2 Discussion	37
CHAPTER 5 CONCLUSIONS AND RECOMMENDATIONS	
5.1 Conclusions	40
5.2 Recommendations	41
Cited References	42
Appendices	
A. Standard Procedure	48
B. Raw Data	55
C. Photodocumentation	80
Curriculum Vitae	86



LIST OF TABLES

4.1 External Characteristics of the Liver of Male Broiler				
Chickens in Different Treatments	33			
4.2 Average chicken liver cell forms and color				
(cytoplasm and nucleus) from each treatment	34			
4.3 Average Variable cell count per 1mm ² area				
from each treatment	36			
4.4 Cellular Morphometrics	37			
Appendix A: Standard Procedure				
1. Schedule for alcohol dehydration	49			
2. Dewaxing schedule	52			
3. Hydration schedule	52			
4. Staining schedule	53			
5. Dehydration schedule	53			
6. Clearing schedule	53			
Appendix B: Raw Data				
1. Chicken Physical Appearance: body length (cm)	55			
2. Body length ANOVA: single factor	55			
3. Average Body weight (kg)	56			
4. Body weight ANOVA: single factor	57			
5. Average liver weight	58			
6. Liver weight ANOVA: single factor	59			

7. Liver weight Tukey test	59
8. T ₀ : liver cell form and color (OIO)	59
9. T1 : liver cell form and color (OIO)	60
10. T2: : liver cell form and color (OIO)	61
11. Variable cell count per 1mm2 area (HPO)	62
12. Variable cell count per 1mm2: Anova:Single Factor	62
13. To Liver cell size (OIO)	63
14. T1 Liver cell size (OIO)	65
15. T2 Liver cell size (OIO)	67
16. Average liver cell size (OIO)	69
17. Average liver cell size (OIO) Anova: Single Factor	69
18. Average liver cell size (OIO) Tukey Test	70
19. To Intercellular width (OIO)	70
20. To Intercellular width (OIO) Anova: Single factor	72
21. T1 Intercellular width (OIO)	73
22. T1 Intercellular width (OIO) Anova: Single factor	75
23. T2 Intercellular width (OIO)	75
24. T2 Intercellular width (OIO) Anova: Single factor	77
25. Average intercellular width (OIO)	78
26. Average intercellular width (OIO) Anova: Single factor	79
27. Average intercellular width (OIO) Tukey Test	79